



SCAN QR CODE

CONTACT US

Hotline: 0968.039.939

Headquarters in Ho Chi Minh City

🏠 14th Street, Block 4, Linh Trung Ward, Thu Duc City, Ho Chi Minh City

Hanoi Branch

🏠 Yen Vien Nam Station Warehouse, Yen Vien Town, Gia Lam District, Hanoi City

Da Nang Branch

🏠 Street No. 8, Hoa Cam Industrial Zone, Hoa Tho Tay Ward, Cam Le District, Da Nang City

Vinh Long Branch

🏠 Group 2, My Loi Hamlet, My Hoa Commune, Binh Minh Town, Vinh Long Province

Quang Ninh Branch

🏠 Cai Lan Industrial Zone, Gieng Day Ward, Ha Long City, Quang Ninh Province

Vung Tau Branch

🏠 Tan Loc Ward, Phuoc Hoa Town, Ba Ria-Vung Tau Province

Hai Phong Branch

🏠 Lot CN2.9 - MP Dinh Vu Industrial Zone, Dong Hai 2 Ward, Hai An District, Hai Phong City

Phu Quoc Branch

🏠 Dam Port, Group 11, Suoi Lon Hamlet, Duong To Commune, Phu Quoc District, Kien Giang Province



TÂN THANH CONTAINER
ALWAYS LEADING IN HIGH QUALITY



CATALOGUE
SO MI RO MOOC
2023

DIVERSITY - DURABILITY - SAFETY - EFFECTIVENESS



Hotline: 0968 039 939



www.tanthatncontainer.com



info@tanthatncontainer.com

UNDERSTANDING TAN THANH

We would like to express our sincere gratitude to our domestic customers for choosing Vietnamese products. Tan Thanh Mechanical Trading Joint Stock Company was established in 1994. Starting as a mechanical workshop, specializing in repairing and trading small containers, Tan Thanh has constantly innovated and experienced strong development, becoming a leading enterprise in Vietnam in the field of containers and semi-trailers. The company has built a nationwide distribution network with over 600 employees. With the brand "Tan Thanh Container," we are well-known and trusted by many customers both domestically and internationally.

With our business philosophy of **"ALWAYS LEADING IN QUALITY,"** we continuously improve our production system, business operations, and services to best meet the requirements of our customers at home and abroad. We take great pride in being the first Vietnamese enterprise to export semi-trailers to countries such as Japan, Finland, the United Arab Emirates, Myanmar, and more. The trust and support from our valued customers are the driving force behind our constant innovation and international expansion.

PRODUCTION CAPACITY & FACTORY SCALE



International Quality Standards

All semi-trailers produced by Tân Thanh must undergo rigorous inspections for dimensions, dynamics, load capacity, brakes, electrical systems, operations, etc. using the International IICL method and imported machinery such as the Hunter axle alignment machine (USA).



Best After-Sales Service

The semi-trailer product line manufactured by Tân Thanh company is covered by a 3-year warranty with genuine spare parts. Regular maintenance is conducted 4 times per year at the most professional and skilled repair service stations in Vietnam.



Diverse Range of Designs

Continuously researching, designing, and manufacturing the best types of semi-trailers according to market demands, optimizing load capacity, and complying with the latest regulations both domestically and internationally. The product line offers a wide variety of types: flatbeds, lowbeds, tippers, sideboards, terminals, tanks, etc. Moreover, there are specially designed trailers that cater to every customer's transportation needs.



Advanced Technology

Tân Thanh semi-trailers feature high durability due to the use of specialized high-strength steel, highly skilled mechanical workers, and advanced mechanical machinery such as CNC cutting machines, lasers, fiber lasers, and automated robotic welding. This ensures extremely precise and robust structures.



Shot Blasting and Painting

The semi-trailer frame undergoes shot blasting according to SA 2.5 standards, followed by water-based or powder-coated painting, and high-temperature curing. The aesthetically pleasing and durable paint layer enhances the professional appearance of the company's fleet and provides long-lasting protection for the important underlying steel structure.



Production Capacity

With a total investment in the factory and manufacturing equipment of over 400 billion Vietnamese Dong, we have the capability to supply between 2,000-3,000 semi-trailers per year.

*Products Designed & Manufactured
by Tân Thanh Company*

SUPPLIERS AND STRATEGIC PARTNERS



Nâng Tầm Giá Trị



thyssenkrupp




SKELETAL SEMI TRAILER

RADAR TRANSPORTER, 20 FEET, 1 AXLE, 7 LEAF-SPRING SUSPENSION

K21-XA-01

OVERALL DIMENSIONS 6250x2500x4000 mm



- Tare weight: 5450 Kg
- CC0 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa, QUINGDAO
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11R22.5
- Wheel: 8.25-22.5
- Conforming certificate number: 0039/VAQ09-02/20-00
- Date of issue: 11/09/2020




SKELETAL SEMI TRAILER

SKELETAL SEMI TRAILER, 30 FEET, 3 AXLES, 4 TWISTLOCKS

H33-XB-01

OVERALL DIMENSIONS 8610x2500x1510 mm




- Tare weight: 5200 Kg
- Payload (transportation allowance): 31400 Kg
- Beam manufacturing: Hot-rolled (thick)
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, bu lông
- Tires: 11R22.5
- Wheel: 8.25-22.5
- Conforming certificate number: 0017/VAQ09-02/17-00
- Date of issue: 17/03/2017




SKELETAL SEMI TRAILER, 30 FEET, 2 AXLES, 4 TWISTLOCKS

L32-XA-01

OVERALL DIMENSIONS 8320x2480x1500 mm




- Tare weight 3850 Kg
- Payload (transportation allowance): 30500 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11R22.5
- Wheel: 8.25-22.5
- Conforming certificate number: 0027/VAQ09-02/20-00
- Date of issue: 24/07/2020




SKELETAL SEMI TRAILER, 30 FEET, 3 AXLES, 4 TWISTLOCKS

H33-XC-01

OVERALL DIMENSIONS 8660x2480x1500 mm



- Tare weight: 4900 Kg
- Payload (transportation allowance): 31700 Kg
- Beam manufacturing: Fabricated
- Axles: Huajing
- Suspensions: Tan Thanh (back air suspension axle 2)
Huajing (axles 3+4)
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11R22.5
- Wheel: 8.25-22.5
- Conforming certificate number: 0053/VAQ09-02/17-00
- Date of issue: 09/08/2017




SKELETAL SEMI TRAILER


SKELETAL SEMI TRAILER, 30 FEET, 3 AXLE, 8 TWISTLOCKS

G33-XA-01

OVERALL DIMENSIONS 10620x2500x1550 mm




- Tare weight: 5700 Kg
- Payload (transportaion allowance): 33300 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa (axles 2+3)
Tan Thanh (back air suspension axle 4)
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11.00-20
- Wheel: 8.00-20
- Conforming certificate number: 0110/VAQ09-02/16-01
- Date of issue: 08/02/2018




SKELETAL SEMI TRAILER, 40 FEET, 3 AXLES, 8 TWISTLOCKS

G43-XC-01

OVERALL DIMENSIONS 1238 x2500x1520 mm



- Tare weight: 5600 Kg
- Payload (transportaion allowance): 33400 Kg
- Beam manufacturing: Hot-rolled (thick)
- Axles: Huajing
- Suspensions: Huajing (trục 2+3)
Tan Thanh (back air suspension axle 4)
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, weld
- Tires: 11R22.5
- Wheel: 8.25-22.5
- Conforming certificate number: 0062/VAQ09-02/16-01
- Date of issue: 23/02/2018




SKELETAL SEMI TRAILER


SKELETAL SEMI TRAILER, 48 FEET, 3 AXLES, 12 TWISTLOCKS

J83-XA-01

OVERALL DIMENSIONS 14825x2480x1500 mm




- Tare weight: 6400 Kg
- Payload (transportaion allowance): 31805 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11R22.5
- Wheel: 8.25-22.5
- Conforming certificate number: 0070/VAQ09-02/18-00
- Date of issue: 26/09/2018




20 FEET, 2 AXLES, 4 TWISTLOCKS

H22-XA-01

OVERALL DIMENSIONS 7360x2480x1500 mm



- Tare weight: 3800 Kg
- Payload (transportaion allowance): 30045 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11R22.5
- Wheel: 8.25-22.5
- Conforming certificate number: 0011/VAQ09-02/17-02
- Date of issue: 24/06/2019




SKELETAL SEMI TRAILER


SKELETAL SEMI TRAILER, 30 FEET, 3 AXLES , 4 TWISTLOCKS

L33-XB-01

OVERALL DIMENSIONS 8710x2490x1520 mm




- Tare weight: 4764 Kg
- Payload (transportaion allowance): 32150 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11R22.5
- Wheel: 8.25-22.5
- Conforming certificate number: 0034/VAQ09-02/20-00
- Date of issue: 01/09/2020




SKELETAL SEMI TRAILER, 40 FEET, 2 AXLES , 8 TWISTLOCKS

H42-XA-01

OVERALL DIMENSIONS 12385x2490x1530 mm




- Tare weight: 4600 Kg
- Payload (transportaion allowance): 28205 Kg
- Beam manufacturing: Hot-rolled
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11R22.5
- Wheel: 8.25-22.5
- Conforming certificate number: 0073/VAQ09-02/17-00
- Date of issue: 17/11/2017




SKELETAL SEMI TRAILER, 40 FEET, 2 AXLES , 8 TWISTLOCKS

G42-XE-01

OVERALL DIMENSIONS 12380x2500x1540 mm




- Tare weight: 4750 Kg
- Payload (transportaion allowance): 29110 Kg
- Beam manufacturing: Hot-rolled (thick)
- Axles: Huajing
- Suspensions: Huajing
- Landing gear: Huajing
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11.00-20
- Wheel: 8.00-V20
- Conforming certificate number: 0097/VAQ09-02/16-01
- Date of issue: 07/02/2018




SKELETAL SEMI TRAILER, 40 FEET, 3 AXLES , 12 TWISTLOCKS

H43-XC-01-3

OVERALL DIMENSIONS 12385x2485x1550 mm



- Tare weight: 5900 Kg
- Payload (transportaion allowance): 33110 Kg
- Beam manufacturing: Hot-rolled (thick)
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11.00-20
- Wheel: 8.00-20
- Conforming certificate number: 0042/VAQ09-02/17-03
- Date of issue: 04/01/2019




SKELETAL SEMI TRAILER

SKELETAL SEMI TRAILER, 40 FEET, 3 AXLES , 8 TWISTLOCKS

L43-XA-01

OVERALL DIMENSIONS 12380x2500x1525 mm



- Tare weight: 5,600 Kg
- Payload (transportaion allowance): 33485 Kg
- Beam manufacturing: Hot-rolled (thin)
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11R22.5
- Wheel: 8.25-22.5
- Conforming certificate number: 0010/VAQ09-02/20-00
- Date of issue: 20/04/2020




FLATBED SEMI TRAILER

SKELETAL SEMI TRAILER, 50 FEET, 3 AXLES, 1 BACK AIR SUSPENSIONS , 14 TWISTLOCKS

K53-XS-01-1

OVERALL DIMENSIONS 15560x2500x1500 mm




- Tare weight: 6900 Kg
- Payload (transportaion allowance): 31450; 30470 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11R22.5
- Wheel: 8.25-22.5
- Conforming certificate number: 0003/VAQ09-02/20-00
- Date of issue: 29/04/2022



SKELETAL SEMI TRAILER, 45 FEET, 3 AXLES , 12 TWISTLOCKS

K53-XA-01

OVERALL DIMENSIONS 13910x2480x1515 mm



- Tare weight: 5900 Kg
- Payload (transportaion allowance): 33185 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11R22.5
- Wheel: 8.25-22.5
- Conforming certificate number: 0016/VAQ09-02/19-00
- Date of issue: 02/05/2019





GOOSENECK SEMI TRAILER

GOOSENECK SEMI TRAILER, 40 FEET, 3 AXLES, 4 TWISTLOCKS

F43-CC-01-5

OVERALL DIMENSIONS 12550x2480x1705 mm



- Tare weight: 5800 Kg
- Payload (transportation allowance): 33000 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 12R22.5
- Wheel: 9.00-22.5
- Conforming certificate number: 0054/VAQ09-02/15-04
- Date of issue: 17/01/2020





GOOSENECK SEMI TRAILER

GOOSENECK SEMI TRAILER, 48 FEET, 3 AXLES, 4 TWISTLOCKS

K83-CC-01

OVERALL DIMENSIONS 15000x2490x1610 mm





- Tare weight: 5920 Kg
- Payload (transportation allowance): 33000 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11R22.5
- Wheel: 8.25-22.5
- Conforming certificate number: 0031/VAQ09-02/19-00
- Date of issue: 17/01/2020



GOOSENECK SEMI TRAILER, 45 FEET, 3 AXLES, 4 TWISTLOCKS

H53-CC-01-1

OVERALL DIMENSIONS 14060x2480x1640 mm





- Tare weight: 5580 Kg
- Payload (transportation allowance): 33420 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 12R22.5
- Wheel: 9.00-22.5
- Conforming certificate number: 0077/VAQ09-02/17-01
- Date of issue: 30/05/2018



GOOSENECK SEMI TRAILER, 50 FEET, 3 AXLES (1 BACK AIR SUSPENSION), 6 TWISTLOCKS

N503-CC-01

OVERALL DIMENSIONS 15735x2485x1625 mm



- Tare weight: 6700 Kg
- Payload (transportation allowance): 32385/30230 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11R22.5
- Wheel: 8.25-22.5
- Conforming certificate number: 0020/VAQ09-02/22-00
- Date of issue: 24/06/2022




BOMB CART TRAILER


BOMB CART TRAILER , 45 FEET, 2 AXLES, 12 TWISTLOCKS, 9 LEAF-SPRINGS SUSPENSION

JXC2T-A

OVERALL DIMENSIONS 13840x2480x1505 mm



- Tare weight: 6470 Kg
- Payload (transportaion allowance): 27800 Kg
- Beam manufacturing: Hot-rolled (thick)
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11.00-20
- Wheel: 8.00-20
- Conforming certificate number: 0089/VAQ09-02/18-00
- Date of issue: 27/12/2018




BOMB CART TRAILER


BOMB CART TRAILER , 45 FEET, 2 AXLES, 9 LEAF-SPRINGS SUSPENSION

K52-TE-02

OVERALL DIMENSIONS 14510 (14140)x2800x1750 mm




- Tare weight: 8000 Kg
- Payload (transportaion allowance): 60000 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11.00-20
- Wheel: 8.00-20




BOMB CART TRAILER , 45 FEET, 2 AXLES, 9 LEAF-SPRINGS SUSPENSION

K52-TE-01-1N

OVERALL DIMENSIONS 14190x2800x1800 mm




- Tare weight: 9300 Kg
- Payload (transportaion allowance): 65000 Kg
- Beam manufacturing: Hot-rolled (thick)
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 12R20
- Wheel: 8.5-20




BOMB CART TRAILER , 45 FEET, 2 AXLES, 9 LEAF-SPRINGS SUSPENSION

N52-TE-01

OVERALL DIMENSIONS 14140x2800x1700 mm



- Tare weight: 7500 Kg
- Payload (transportaion allowance): 70000 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11.00-20
- Wheel: 8.00-20





FLATBED SEMI TRAILER

FLATBED SEMI TRAILER, 20 FEET, 4 TWISTLOCKS

G22-SA-01

OVERALL DIMENSIONS 7310x2500x1525 mm

- Tare weight: 4500 Kg
- Payload (transportaion allowance): 28510 Kg
- Beam manufacturing: Fabricated
- Axles: Huajing
- Suspensions: Huajing
- Landing gear: Huajing
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11.00-20
- Wheel: 8.00-v20
- Conforming certificate number: 0083/VAQ09-02/16-01
- Date of issue: 23/02/2018





FLATBED SEMI TRAILER, 40 FEET, 3 AXLES, 1 BACK AIR SUSPENSION, 8 TWISTLOCKS

G43-SD-01

OVERALL DIMENSIONS 12380x2500x1570 mm

- Tare weight: 7200 Kg
- Payload (transportaion allowance): 31800 Kg
- Beam manufacturing: Fabricated
- Axles: Huajing
- Suspensions: Huajing (axles 2+3)
Tan Thanh (back air suspension axle 4)
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11.00-20
- Wheel: 8.00-20
- Conforming certificate number: 0095/VAQ09-02/16-01
- Date of issue: 02/09/2018





FLATBED SEMI TRAILER

FLATBED SEMI TRAILER, 45 FEET, 3 AXLES, 12 TWISTLOCKS

F53-SA-01

OVERALL DIMENSIONS 13930x2500x1570 mm

- Tare weight: 8000 Kg
- Payload (transportaion allowance): 31015 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Huajing
- Kingpin: JOST, 2 inch, weld
- Tires: 11.00-20
- Wheel: 8.00-v20
- Conforming certificate number: 0058/VAQ09-02/15-01
- Date of issue: 23/02/2018





FLATBED SEMI TRAILER, 40 FEET, 3 AXLES, 8 TWISTLOCKS

F43-SA-01

OVERALL DIMENSIONS 12380x2500x1570 mm

- Tare weight: 7500 Kg
- Payload (transportaion allowance): 31515 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Huajing
- Kingpin: JOST, 2 inch, weld
- Tires: 11.00-20
- Wheel: 8.00-V20
- Conforming certificate number: 0060/VAQ09-02/15-01
- Date of issue: 23/02/2018





FLATBED SEMI TRAILER

FLATBED SEMI TRAILER, 40 FEET, 3 AXLES, 12 TWISTLOCKS

H43-SA-01

OVERALL DIMENSIONS 12370x2480x1515 mm



- Tare weight: 6500 Kg
- Payload (transportation allowance): 32510 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11R22.5
- Wheel: 8.25-22.5
- Conforming certificate number: 0074/VAQ09-02/17-00
- Date of issue: 21/11/2017





SIDEWALL TRAILER

SIDEWALL TRAILER (WITHOUT TARPAULIN), 30 FEET, 3 AXLES, 4 TWISTLOCKS

J33-BC-01

OVERALL DIMENSIONS 10870x2500x2970 mm





- Tare weight: 7030 Kg
- Payload (transportation allowance): 31920 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11.00-20
- Wheel: 8.00-20
- Conforming certificate number: 0011/VAQ09-02/18-00
- Date of issue: 03/05/2018



FLATBED SEMI TRAILER, 40 FEET, 3 AXLES, 12 TWISTLOCKS

F43-SA-02

OVERALL DIMENSIONS 12370x2500x1500 mm





- Tare weight: 7480 Kg
- Payload (transportation allowance): 31605 Kg
- Beam manufacturing: Hot-rolled (thick)
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 12R22.5
- Wheel: 9.00-22.5
- Conforming certificate number: 0001/VAQ09-02/22-00
- Date of issue: 12/01/2022



SIDEWALL TRAILER (WITHOUT TARPAULIN), 40 FEET, 3 AXLES, 8 TWISTLOCKS

J43-BA-01

OVERALL DIMENSIONS 12400x2500x2945 mm



- Tare weight: 7150 Kg
- Payload (transportation allowance): 31860 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11R22.5
- Wheel: 8.25-22.5
- Conforming certificate number: 0035/VAQ09-02/18-00
- Date of issue: 03/05/2018



OVERSIZE SEMI TRAILER

OVERSIZE SEMI TRAILER 7M EXTENDABLE, 45 FEET, 3 AXLES

J53-SR-01-1

OVERALL DIMENSIONS 14770x2500x2515 mm



- Tare weight: 10400 Kg
- Payload (transportaion allowance): 35000 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 12R22.5
- Wheel: 9.00-22.5
- Conforming certificate number: 0078/VAQ09-02/18-01
- Date of issue: 17/05/2019




OVERSIZE SEMI TRAILER 12M EXTENDABLE, 60 FEET, 6 AXLES, FIRST AND LAST AXLES USES AIR SUSPENSION

K66-SR-01

OVERALL DIMENSIONS 20240x2500x2550 mm



- Tare weight: 19950 Kg
- Payload (transportaion allowance): 57000 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa (axles 3+4+5+6) Tan Thanh (back air suspension axles 2+7)
- Landing gear: Fuwa
- Kingpin: JOST, 3.5 inch, Bolted-in
- Tires: 12R22.5
- Wheel: 9.00-22.5
- Conforming certificate number: 0021/VAQ09-02/19-00
- Date of issue: 17/05/2019



OVERSIZE SEMI TRAILER


OVERSIZE SEMI TRAILER, 60 FEET, 5 AXLES, FIRST AND LAST AXLES USES AIR SUSPENSION.

K65-SR-01

OVERALL DIMENSIONS 20230x3200x1490 mm
32230x3200x1490 mm



- Tare weight: 20400 Kg
- Payload (transportaion allowance): 57000 Kg; 56300 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 3.5 inch, Bolted-in
- Tires: 12R22.5
- Wheel: 9.00-22.5
- Conforming certificate number: 0007/VAQ09-02/20-00
- Date of issue: 24/04/2020




OVERSIZE SEMI TRAILER, 32M EXTENDABLE, 60 FEET, 5 AXLES

K65-LR-01

OVERALL DIMENSIONS 20110x3300x1630 mm
32110x3300x1630 mm



- Tare weight: 23500 Kg
- Payload (transportaion allowance): 55900 Kg; 62670 Kg
- Beam manufacturing: Fabricated
- Axles: SMB
- Suspensions: Huajing
- Landing gear: Fuwa Tan Thanh
- Kingpin: JOST, 3.5 inch, Bolted-in
- Tires: 285/70R19.5
- Wheel: 8.25-19.5
- Conforming certificate number: 0011/VAQ09-02/20-00
- Date of issue: 24/04/2020



OVERSIZE SEMI TRAILER


OVERSIZE SEMI TRAILER, 60 FEET, 6 AXLES

L66-LD-01

OVERALL DIMENSIONS 17605x3400x1610 mm



- Tare weight: 14800 Kg
- Payload (transportaion allowance): 76000 Kg
- Beam manufacturing: Fabricated
- Axles: SMB
- Suspensions: Huajing
- Landing gear: Huajing
- Kingpin: FUWA, 3.5 inch, Bolted-in
- Tires: 235/75R17.5
- Wheel: 6.75-17.5
- Conforming certificate number: 0028/VAQ09-02/20-00
- Date of issue: 17/05/2022



OVERSIZE SEMI TRAILER


OVERSIZE SEMI TRAILER, 60 FEET, 6 AXLES

L66-LD-01

OVERALL DIMENSIONS 17605x3400x1610 mm



- Tare weight: 14800 Kg
- Payload (transportaion allowance): 76000 Kg
- Beam manufacturing: Fabricated
- Axles: SMB
- Suspensions: Huajing
- Landing gear: Huajing
- Kingpin: FUWA, 3.5 inch, Bolted-in
- Tires: 235/75R17.5
- Wheel: 6.75-17.5
- Conforming certificate number: 0028/VAQ09-02/20-00
- Date of issue: 17/05/2022




OVERSIZE SEMI TRAILER, 50 FEET, 4 AXLES

N504-LE-01

OVERALL DIMENSIONS 17210x3300x1580 mm



- Tare weight: 14450 Kg
- Payload (transportaion allowance): 60500 Kg
- Beam manufacturing: Fabricated
- Axles: Huajing
- Suspensions: Huajing
- Landing gear: Huajing
- Kingpin: FUWA, 3.5 inch, Bolted-in
- Tires: 285/70R19.5
- Wheel: 8.25Vx19.5
- Conforming certificate number: 0016/VAQ09-02/22-00
- Date of issue: 17/05/2022




TRANSPORT MOTORBIKES AND MACHINES SEMI TRAILER

LOWBED SEMI TRAILER, 30 FEET, 2 AXLES

G32-LA-02

OVERALL DIMENSIONS 13135x3200x1620 mm

- Tare weight: 9450 Kg
- Payload (transportation allowance): 9450 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-In
- Tires: 11.00R20
- Wheel: 8.00-20
- Conforming certificate number: 0013/VAQ09-02/22-00
- Date of issue: 16/05/2022




TRANSPORT MOTORBIKES AND MACHINES SEMI TRAILER

LOWBED SEMI TRAILER, 40 FEET, 3 AXLES

H43-LD-01

OVERALL DIMENSIONS 13150x3200x3050 mm

- Tare weight: 11350 Kg
- Payload (transportation allowance): 38200 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: FUWA, 3.5 inch, Bolted-In
- Tires: 9.00-20
- Wheel: 7.00x20
- Conforming certificate number: 0025/VAQ09-02/17-00
- Date of issue: 31/03/2017




LOWBED SEMI TRAILER, 30 FEET, 2 AXLES

J32-LA-01

OVERALL DIMENSIONS 9000x2500x2935 mm

- Tare weight: 9450 Kg
- Payload (transportation allowance): 22200 Kg
- Beam manufacturing: Fabricated
- Axles: Huajing
- Suspensions: Huajing
- Landing gear: Huajing
- Kingpin: JOST, 2 inch, Bolted-In
- Tires: 235/75R17.5
- Wheel: 6.75-17.5
- Conforming certificate number: 0052/VAQ09-02/18-00
- Date of issue: 10/07/2018




LOWBED SEMI TRAILER, 40 FEET, 3 AXLES

J43-LA-01

OVERALL DIMENSIONS 13010x3300x2980 mm

- Tare weight: 11400 Kg
- Payload (transportation allowance): 51600 Kg
- Beam manufacturing: Fabricated
- Axles: Huajing
- Suspensions: Huajing
- Landing gear: Huajing
- Kingpin: FUWA, 3.5 inch, Bolted-In
- Tires: 285/70R19.5
- Wheel: 8.25Vx19.5
- Conforming certificate number: 0015/VAQ09-02/19-00
- Date of issue: 25/04/2019




TRANSPORT MOTORBIKES AND MACHINES SEMI TRAILER

SPECIALTY TRAILER, 45 FEET, 3 AXLES, 4 TWISTLOCK, 1 CONVEYOR BELT

G53-LC-01

OVERALL DIMENSIONS 17440x2700x4290 mm

- Tare weight: 14000 Kg
- Payload (transportaion allowance): 9500 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Huajing
- Kingpin: JOST, 2 inch, Bolted-In
- Tires: 7.00-16
- Wheel: 5.5x16
- Conforming certificate number: 0044/VAQ09-02/17-00
- Date of issue: 17/07/2017





LOWBED SEMI TRAILER, 45 FEET, 3 AXLES

G53-LD-01

OVERALL DIMENSIONS 15890x3300x1600 mm

- Tare weight: 11700 Kg
- Payload (transportaion allowance): 51530 Kg
- Beam manufacturing: Fabricated
- Axles: Huajing
- Suspensions: Huajing
- Landing gear: Huajing
- Kingpin: FUWA, 3.5 inch, Bolted-In
- Tires: 285/70R19.5
- Wheel: 8.25x19.5
- Conforming certificate number: 0008/VAQ09-02/17-00
- Date of issue: 02/03/2017





TRANSPORT MOTORBIKES AND MACHINES SEMI TRAILER

LOWBED SEMI TRAILER, 45 FEET, 3 AXLES

H53-LB-01

OVERALL DIMENSIONS 14920x2500x1640 mm

- Tare weight: 7900 Kg
- Payload (transportaion allowance): 30800 Kg
- Beam manufacturing: Fabricated
- Axles: Huajing
- Suspensions: Huajing
- Landing gear: Huajing
- Kingpin: FUWA, 3.5 inch, Bolted-In
- Tires: 8.25-16
- Wheel: 6.5-16
- Conforming certificate number: 0062/VAQ09-02/17-00
- Date of issue: 19/09/2017





LOWBED SEMI TRAILER, 45 FEET, 3 AXLES

H53-LE-01-1

OVERALL DIMENSIONS 15900x3300x1670 mm

- Tare weight: 12900 Kg
- Payload (transportaion allowance): 49501 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Huajing
- Kingpin: FUWA, 3.5 inch, Bolted-In
- Tires: 11.00R20
- Wheel: 8.00V-20
- Conforming certificate number: 0008/VAQ09-02/18-01
- Date of issue: 20/02/2019




TRANSPORT MOTORBIKES AND MACHINES SEMI TRAILER

LOWBED SEMI TRAILER, 45 FEET, 3 AXLES

J53-LC-01

OVERALL DIMENSIONS 14380x2500x2680 mm

- Tare weight: 9015 Kg
- Payload (transportaion allowance): 30000 Kg
- Beam manufacturing: Fabricated
- Axles: Huajing
- Suspensions: Huajing
- Landing gear: Huajing
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 8.25-16
- Wheel: 6.5-16
- Conforming certificate number: 0043/VAQ09-02/18-00
- Date of issue: 13/06/2018




TRANSPORT MOTORBIKES AND MACHINES SEMI TRAILER

LOWBED SEMI TRAILER 45 FEET, 3 AXLES

K53-LA-01

OVERALL DIMENSIONS 16910x3300x1670 mm

- Tare weight 13900 Kg
- Payload (transportaion allowance): 50615 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: FUWA, 3.5 inch, Bolted-in
- Tires: 12.00-20
- Wheel: 8.5Vx20
- Conforming certificate number: 0046/VAQ09-02/19-00
- Date of issue: 12/09/2019




LOWBED SEMI TRAILER, 45 FEET, 3 AXLES

K53-LB-01

OVERALL DIMENSIONS 16340x3300x2930 mm

- Tare weight: 13200 Kg
- Payload (transportaion allowance): 51520 Kg
- Beam manufacturing: Fabricated
- Axles: Huajing
- Suspensions: Huajing
- Landing gear: Huajing
- Kingpin: FUWA, 3.5 inch, Bolted-in
- Tires: 285/70R19.5
- Wheel: 8.25Vx19.5
- Conforming certificate number: 0039/VAQ09-02/19-00
- Date of issue: 14/08/2019




LOWBED SEMI TRAILER, 45 FEET, 3 AXLES

L42-LA-01

OVERALL DIMENSIONS 12270x2900x2850 mm

- Tare weight 7900 Kg
- Payload (transportaion allowance): 31240 Kg
- Beam manufacturing: Fabricated
- Axles: Huajing
- Suspensions: Huajing
- Landing gear: Huajing
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 285/70R19.5
- Wheel: 8.25Vx19.5
- Conforming certificate number: 0013/VAQ09-02/20-00
- Date of issue: 26/05/2020




TRANSPORT MOTORBIKES AND MACHINES SEMI TRAILER


LOWBED SEMI TRAILER, 50 FEET, 3 AXLES

L43-LA-01

OVERALL DIMENSIONS 12365x2500x1580 mm



- Tare weight 7200 Kg
- Payload (transportation allowance): 31210 Kg
- Beam manufacturing: Fabricated
- Axles: Huajing
- Suspensions: Huajing
- Landing gear: Huajing
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 235/75R17.5
- Wheel: 6.75-17.5
- Conforming certificate number: 0014/VAQ09-02/20-00
- Date of issue: 26/05/2020




TRANSPORT MOTORBIKES AND MACHINES SEMI TRAILER


LOWBED SEMI TRAILER, 40 FEET, 2 AXLES

L42-LA-02

OVERALL DIMENSIONS 12450x2850x1590 mm




- Tare weight 7850 Kg
- Payload (transportation allowance): 31640 Kg
- Beam manufacturing: Fabricated
- Axles: Huajing
- Suspensions: Huajing
- Landing gear: Huajing
- Kingpin: FUWA, 3.5 inch, Bolted-in
- Tires: 285/70R19.5
- Wheel: 8.25Vx19.5
- Conforming certificate number: 0047/VAQ09-02/20-00
- Date of issue: 18/11/2020




LOWBED SEMI TRAILER, 50 FEET, 3 AXLES

L503-LB-01

OVERALL DIMENSIONS 16300x3400x1660 mm




- Tare weight 13920 Kg
- Payload (transportation allowance): 51770 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: FUWA, 3.5 inch, Bolted-in
- Tires: 11.00R20
- Wheel: 8.00-20
- Conforming certificate number: 0018/VAQ09-02/20-00
- Date of issue: 11/06/2020




LOWBED SEMI TRAILER, 45 FEET, 3 AXLES

H53-LE-02

OVERALL DIMENSIONS 15060x3300x3040 mm



- Tare weight 13270 Kg
- Payload (transportation allowance): 51530 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: FUWA, 3.5 inch, Bolted-in
- Tires: 11.00R20
- Wheel: 8.0Vx20
- Conforming certificate number: 0048/VAQ09-02/20-00
- Date of issue: 18/11/2020




TRANSPORT MOTORBIKES AND MACHINES SEMI TRAILER


LOWBED SEMI TRAILER, 45 FEET, 3 AXLES

L53-LE-02

OVERALL DIMENSIONS 16990x3300x1620 mm



- Tare weight 14870 Kg
- Payload (transportaion allowance): 50900 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: FUWA, 3.5 inch, Bolted-in
- Tires: 11.00R20
- Wheel: 8.00-20
- Conforming certificate number: 0009/VAQ09-02/21-00
- Date of issue: 16/04/2021




TRANSPORT MOTORBIKES AND MACHINES SEMI TRAILER


LOWBED SEMI TRAILER, 45 FEET, 3 AXLES

H53-LE-01-1

OVERALL DIMENSIONS 15900x3300x1670 mm




- Tare weight 12900 Kg
- Payload (transportaion allowance): 49501 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Huajing
- Kingpin: FUWA, 3.5 inch, Bolted-in
- Tires: 11.00R20
- Wheel: 8.00V-20
- Conforming certificate number: 0008/VAQ09-02/18-01
- Date of issue: 20/02/2019




LOWBED SEMI TRAILER, 50 FEET, 3 AXLES

M503-LB-01

OVERALL DIMENSIONS 15500x3620x1600 mm



- Tare weight 13300 Kg
- Payload (transportaion allowance): 48700 Kg
- Beam manufacturing: Fabricated
- Axles: Huajing
- Suspensions: Huajing
- Landing gear: Fuwa
- Kingpin: FUWA, 3.5 inch, Bolted-in
- Tires: 285/70R19.5
- Wheel: 8.25x19.5
- Conforming certificate number: 0028/VAQ09-02/22-00
- Date of issue: 21/11/2022




LIQUID TANK SEMI TRAILER

PETROLEUM TANK SEMI TRAILER, 6 LIQUID SPACE, 40M3,
40 FEET, 3 AXLES

G43-BX40-02

OVERALL DIMENSIONS 11050x2500x3980 mm




- Tare weight 9415 Kg
- Payload (transportaion allowance): 29600 Kg
- Beam manufacturing: Fabricated
- Axles: Huajing
- Suspensions: Huajing
- Landing gear: Huajing
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11R22.5
- Wheel: 8.25-22.5
- Conforming certificate number: 0090/VAQ09-02/16-01
- Date of issue: 07/02/2018



PETROLEUM TANK SEMI TRAILER, 6 LIQUID SPACE, 40M3,
40 FEET, 3 AXLES

J43-BX40-04

OVERALL DIMENSIONS 11090x2500x3990 mm




- Tare weight 9415 Kg
- Payload (transportaion allowance): 29600 Kg
- Beam manufacturing: Fabricated
- Axles: Huajing
- Suspensions: c
- Landing gear: Huajing
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11R22.5
- Wheel: 8.25-22.5
- Conforming certificate number: 0032/VAQ09-02/18-00
- Date of issue: 04/05/2018




PETROLEUM TANK SEMI TRAILER, 6 LIQUID SPACE, 43M3,
40 FEET, 3 AXLES

L43-BX-02

OVERALL DIMENSIONS 11320x2500x3820 mm




- Tare weight 9415 Kg
- Payload (transportaion allowance): 29600 Kg
- Beam manufacturing: Fabricated
- Axles: Huajing
- Suspensions: Huajing
- Landing gear: Huajing
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11R22.5
- Wheel: 8.25-22.5
- Conforming certificate number: 0090/VAQ09-02/16-01
- Date of issue: 07/02/2018




PETROLEUM TANK SEMI TRAILER, 6 LIQUID SPACE, 31.3M3

L42-BX-01

OVERALL DIMENSIONS 9890x2500x3790 mm



- Tare weight 7640 Kg
- Payload (transportaion allowance): 23162 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11R22.5
- Wheel: 8.25-22.5
- Conforming certificate number: 0041/VAQ09-02/20-00
- Date of issue: 29/09/2020




LIQUID TANK SEMI TRAILER

CEMENT TANK SEMI TRAILER, 30.12 M3, 40 FEET, 03 AXLES

H43-BM-01

OVERALL DIMENSIONS 11930x2480x3990 mm





- Tare weight 7380 Kg
- Payload (transportation allowance): 31630 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11R22.5
- Wheel: 8.25-22.5
- Conforming certificate number: 0020/VAQ09-02/18-00
- Date of issue: 16/07/2019



ETYLEN GLYCOL TANK SEMI TRAILER, 29 M3, 40 FEET, 03 AXLES

K43-BE-01

OVERALL DIMENSIONS 11300x2500x3400 mm





- Tare weight 6380 Kg
- Payload (transportation allowance): 32190 Kg
- Beam manufacturing: Fabricated
- Axles: Huajing/ABS
- Suspensions: Huajing
- Landing gear: Huajing
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11R22.5
- Wheel: 8.25-22.5
- Conforming certificate number: 0036/VAQ09-02/19-00
- Date of issue: 16/07/2019



ASPHALT TANK SEMI TRAILER, 28.2 M3, 40 FEET, 03 AXLES

G43-BN-01-1

OVERALL DIMENSIONS 11580x2500x3790 mm





- Tare weight 11645 Kg
- Payload (transportation allowance): 27355 Kg
- Beam manufacturing: Fabricated
- Axles: Huajing
- Suspensions: Huajing
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11R22.5
- Wheel: 8.25-22.5
- Conforming certificate number: 0088/VAQ09-02/16-01
- Date of issue: 06/07/2020



NH3 TANK SEMI TRAILER, 43 M3, 40 FEET, 03 AXLES

L43-BAM-01

OVERALL DIMENSIONS 11605x2500x3880 mm



- Tare weight 13680 Kg
- Payload (transportation allowance): 23162 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11R22.5
- Wheel: 8.25-22.5
- Conforming certificate number: 0022/VAQ09-02/20-00
- Date of issue: 06/07/2020





LIQUID TANK SEMI TRAILER

NH3 TANK SEMI TRAILER, 42.25 M3, 40 FEET, 03 AXLES

L43-BAM-02

OVERALL DIMENSIONS 12145x2500x3770 mm





- Tare weight 13900 Kg
- Payload (transportaion allowance): 24500 Kg
- Beam manufacturing: Fabricated
- Axles: YONGLITAI
- Suspensions: YONGLITAI
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 12R22.5
- Wheel: 9.00-22.5
- Conforming certificate number: 0061/VAQ09-02/20-00
- Date of issue: 28/12/2020



LPG TANK SEMI TRAILER, 49.7 M3, 40 FEET, 03 AXLES

J43-BL-02

OVERALL DIMENSIONS 12225x2500x3990 mm



- Tare weight 14700 Kg
- Payload (transportaion allowance): 24385 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa (axles 2+3)
Tan Thanh (back air suspension axle 2)
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11R22.5
- Wheel: 8.25-22.5
- Conforming certificate number: 0017/VAQ09-02/21-00
- Date of issue: 20/05/2021





LIQUID TANK SEMI TRAILER

PET TANK SEMI TRAILER, 35 M3, 40 FEET, 03 SHAFTS,
07 TWEEZERS HANGING TRUSS

G43-BN-01-1

OVERALL DIMENSIONS 12390x2500x3983 mm



- Tare weight 9350 Kg
- Payload (transportaion allowance): 30650 Kg
- Beam manufacturing: Fabricated
- Axles: Huajing
- Suspensions: Huajing
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11R22.5
- Wheel: 8.25-22.5
- Conforming certificate number: 0088/VAQ09-02/16-01
- Date of issue: 17/04/2023





DUMP SEMI TRAILER

DUMP SEMI TRAILER, 40 FEET, 3 AXLES, 1 FRONT AIR SUSPENSION, 24M3

J43-TP-01

OVERALL DIMENSIONS 9300x2500x3380 mm



- Tare weight 8064 Kg
- Payload (transportaion allowance): 28850 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa (axles 3+4)
Tan Thanh (back air suspension axle 2)
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11R22.5
- Wheel: 8.25-22.5
- Conforming certificate number: 0001/VAQ09-02/19-00
- Date of issue: 21/01/2019





SIDEWALL TRAILER (WITH TARPAULIN)

DUMP SEMI TRAILER, 40 FEET, 3 AXLES, 1 FRONT AIR SUSPENSION, 24M3

J43-TP-02

OVERALL DIMENSIONS 9300x2500x3420 mm





- Tare weight 7914 Kg
- Payload (transportaion allowance): 29000 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11R22.5
- Wheel: 8.25-22.5
- Conforming certificate number: 0040/VAQ09-02/20-00
- Date of issue: 23/09/2020



DUMP SEMI TRAILER, 40 FEET, 3 AXLES, 1 FRONT AIR SUSPENSION, 24M3

J43-TP-01-1

OVERALL DIMENSIONS 9300x2500x3395 mm





- Tare weight 8064 Kg
- Payload (transportaion allowance): 8064/28850 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa (axles 2+3)
Tan Thanh (back air suspension axle 2)
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11.00-20
- Wheel: 8.00-20
- Conforming certificate number: 0001/VAQ09-02/19-01
- Date of issue: 23/01/2019



DUMP SEMI TRAILER, 40 FEET, 3 AXLES, 1 FRONT AIR SUSPENSION, 24M3

J43-TP-02-1

OVERALL DIMENSIONS 9300x2500x3435 mm



- Tare weight 7914 Kg
- Payload (transportaion allowance): 29000 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11.00-20
- Wheel: 8.00-20
- Conforming certificate number: 0040/VAQ09-02/20-01
- Date of issue: 25/09/2020




DUMP SEMI TRAILER

SIDEWALL TRAILER (WITH TARPAULIN), 30 FEET, 3 AXLES

F33-BC-01-1

OVERALL DIMENSIONS 10940x2500x3650 mm




- Tare weight 7450 Kg
- Payload (transportation allowance): 31565 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11.00-20
- Wheel: 8.00-V20
- Conforming certificate number: 0003/VAQ09-02/16-01
- Date of issue: 19/01/2018



SIDEWALL TRAILER (WITH TARPAULIN), 40 FEET, 3 AXLES

K43-BB-02

OVERALL DIMENSIONS 12400x2500x3645 mm



- Tare weight 7914 Kg
- Payload (transportation allowance): 29000 Kg
- Beam manufacturing: Fabricated
- Axles: Fuwa
- Suspensions: Fuwa
- Landing gear: Fuwa
- Kingpin: JOST, 2 inch, Bolted-in
- Tires: 11.00-20
- Wheel: 8.00-20
- Conforming certificate number: 0040/VAQ09-02/20-01
- Date of issue: 25/09/2020



COMPREHENSIVE LIST OF KCT SOMI ROMOOC 2023

STT	NAME SOMI ROMOOC	TRAILER TYPE	OVERALL DIMENSIONS	AXLES	KINGPIN	TIRES	WHEEL	PAGE
SKELETAL SEMI TRAILER								
01	K21-XA-01	20 feet, 2 axles, 4 twistlocks	6250x2500x4000 mm	Fuwa	JOST, 2 inch, Bolted-in	11R22.5	8.25-22.5	03
02	L32-XA-01	30 feet, 2 axles, 4 twistlocks	8320x2480x1500 mm	Fuwa	JOST, 2 inch, Bolted-in	11R22.5	8.25-22.5	03
03	H33-XB-01	30 feet, 3 axles, 4 twistlocks	8610x2500x1510 mm	Fuwa	JOST, 2 inch, Bolted-in	11R22.5	8.25-22.5	04
04	H33-XC-01	30 feet, 3 axles, 4 twistlocks	8660x2480x1500 mm	Huajing	JOST, 2 inch, Bolted-in	11R22.5	8.25-22.5	04
05	G33-XA-01	30 feet, 3 axles, 8 twistlocks	10620x2500x1550 mm	Fuwa	JOST, 2 inch, Bolted-in	11.00-20	8.00-20	05
06	G43-XC-01	40 feet, 3 axles, 8 twistlocks	1238 x2500x1520 mm	Huajing	JOST, 2 inch, Bolted-in	11R22.5	8.25-22.5	05
07	J83-XA-01	48 feet, 3 axles, 12 twistlocks	14825x2480x1500 mm	Fuwa	JOST, 2 inch, Bolted-in	11R22.5	8.25-22.5	06
08	H22-XA-01	20 feet, 2 axles, 4 twistlocks	7360x2480x1500 mm	Fuwa	JOST, 2 inch, Bolted-in	11R22.5	8.25-22.5	06
09	L33-XB-01	30 feet, 3 axles, 4 twistlocks	8710x2490x1520 mm	Fuwa	JOST, 2 inch, Bolted-in	11R22.5	8.25-22.5	07
10	H42-XA-01	40 feet, 2 axles, 8 twistlocks	12385x2490x1530 mm	Fuwa	JOST, 2 inch, Bolted-in	11R22.5	8.25-22.5	07
11	G42-XE-01	40 feet, 2 axles, 8 twistlocks	12380x2500x1540mm	Huajing	JOST, 2 inch, Bolted-in	11.00-20	8.00-V20	08
12	H43-XC-01-3	40 feet, 3 axles, 12 twistlocks	12385x2485x1550 mm	Fuwa	JOST, 2 inch, Bolted-in	11.00-20	8.00-20	08
13	L43-XA-01	40 feet, 3 axles, 8 twistlocks	12380x2500x1525 mm	Fuwa	JOST, 2 inch, Bolted-in	11R22.5	8.25-22.5	09
14	K53-XA-01	45 feet, 3 axles, 12 twistlocks	14825x2480x1500 mm	Fuwa	JOST, 2 inch, Bolted-in	11R22.5	8.25-22.5	09
15	K53-XS-01-1	50 feet, 3 axles, 1 back air suspensions, 14 twistlocks	1238 x2500x1520 mm	Huajing	JOST, 2 inch, Bolted-in	11R22.5	8.25-22.5	10
GOOSENECK SEMI TRAILER								
16	F43-CC-01-5	40 feet, 3 axles, 4 twistlocks	12550x2480x1705 mm	Fuwa	JOST, 2 inch, Bolted-in	12R22.5	9.00-22.5	11
17	H53-CC-01-1	45 feet, 3 axles, 4 twistlocks	14060x2480x1640 mm	Fuwa	JOST, 2 inch, Bolted-in	12R22.5	9.00-22.5	11
18	K83-CC-01	48 feet, 3 axles, 4 twistlocks	15000x2490x1610 mm	Fuwa	JOST, 2 inch, Bolted-in	12R22.5	8.25-22.5	12
19	N503-CC-01	50 feet, 3 axles, 6 twistlocks	15735x2485x1625 mm	Fuwa	JOST, 2 inch, Bolted-in	12R22.5	8.25-22.5	12
BOMB CART TRAILER								
20	JXC2T-A	45 feet, 2 axles, 12 twistlocks, 9 leaf-springs suspension	13840x2480x1505 mm	Fuwa	JOST, 2 inch, Bolted-in	11.00-20	8.00-20	13
21	K52-TE-01-1N	45 feet, 2 axles, 9 leaf-springs suspension	14190x2800x1800 mm	Fuwa	JOST, 2 inch, Bolted-in	12R20	8.5-20	13
22	K52-TE-02	45 feet, 2 axles, 9 leaf-springs suspension	14510 (14140)x2800x1750 mm	Fuwa	JOST, 2 inch, Bolted-in	11.00-20	8.00-20	14
23	N52-TE-01	45 feet, 2 axles, 9 leaf-springs suspension	14020x2760x1700 mm	Fuwa	JOST, 2 inch, Bolted-in	11.00-20	8.00-20	14
FLATBED SEMI TRAILER								
24	G22-SA-01	20 feet, 4 twistlocks	7310x2500x1525 mm	Fuwa	JOST, 2 inch, Bolted-in	11.00-20	8.00-V20	15
25	G43-SD-01	40 feet, 2 axles, 12 twistlocks	12380x2500x1570 mm	Huajing	JOST, 2 inch, Bolted-in	11.00-20	8.00-20	15
26	F53-SA-01	45 feet, 3 axles, 12 twistlocks	13930x2500x1570 mm	Fuwa	JOST, 2 inch, weld	11.00-20	8.00-V20	16
27	F43-SA-01	40 feet, 3 axles, 8 twistlocks	12380x2500x1570 mm	Fuwa	JOST, 2 inch, weld	11.00-20	8.00-V20	16
28	H43-SA-01	40 feet, 3 axles, 12 twistlocks	12370x2480x1515 mm	Fuwa	JOST, 2 inch, Bolted-in	11R00-20	9.00-22.5	17
29	F43-SA-02	40 feet, 3 axles, 12 twistlocks	12370x2500x1500 mm	Fuwa	JOST, 2 inch, Bolted-in	12R22.5	8.00-20	17
SIDEWALL TRAILER (WITHOUT TARPAULIN)								
30	J33-BC-01	30 feet, 3 axles, 4 twistlocks	10870x2500x2970 mm	Fuwa	JOST, 2 inch, Bolted-in	11.00-20	8.00-20	18
31	J43-BA-01	40 feet, 3 axles, 8 twistlocks	12400x2500x2945 mm	Fuwa	JOST, 2 inch, Bolted-in	11R22.5	8.25-22.5	18
OVERSIZE SEMI TRAILER								
32	J53-SR-01-1	7m extendable, 45 feet, 3 axles	14770x2500x2515 mm	Fuwa	JOST, 2 inch, Bolted-in	12R22.5	9.00-22.5	19
33	K66-SR-01	12m extendable, 60 feet, 6 axles	20240x2500x2550 mm	Fuwa	FUWA, 3.5 inch, Bolted-in	12R22.5	9.00-22.5	19
34	K65-SR-01	60 feet, 5 axles	20230x3200x1490 mm 32230x3200x1490 mm	Fuwa	FUWA, 3.5 inch, Bolted-in	12R22.5	9.00-22.5	20
35	K65-LR-01	32m extendable, 60 feet, 5 axles	20110x3300x1630 mm 32110x3300x1630 mm	SMB	FUWA, 3.5 inch, Bolted-in	285/70R19.5	8.25-19.5	20
36	L66-LD-01	60 feet, 6 axles	17605x3400x1610 mm	SMB	FUWA, 3.5 inch, Bolted-in	235/75R17.5	6.75-17.5	21
37	N504-LE-01	50 feet, 4 axles	17210x3300x1580 mm	Huajing	FUWA, 3.5 inch, Bolted-in	285/70R19.5	8.25Vx19.5	21
38	N506-SR-01	10.5m extendable, 50 feet, 6 axles	16175x2500x1520 mm 26675 x2500x1520 mm	Fuwa	FUWA, 3.5 inch, Bolted-in	12R22.5	9.00-22.5	22
TRANSPORT MOTORBIKES AND MACHINES SEMI TRAILER								
39	G32-LA-02	30 feet, 2 axles	13135x3200x1620 mm	Fuwa	JOST, 2 inch, Bolted-in	11.00R20	8.00-20	23
40	J32-LA-01	30 feet, 2 axles	9000x2500x2935 mm	Huajing	JOST, 2 inch, Bolted-in	235/75R17.5	6.75-17.5	23
41	H43-LD-01	40 feet, 3 axles	13150x3200x3050 mm	Fuwa	FUWA, 3.5 inch, Bolted-in	9.00-20	7.00x20	24
42	J43-LA-01	40 feet, 03 axles	13010x3300x2980 mm	Huajing	FUWA, 3.5 inch, Bolted-in	285/70R19.5	8.25Vx19.5	24
43	G53-LC-01	45 feet, 03 trục, 04 gù, 01 cò cấu bằng tải	17440x2700x4290 mm	Fuwa	JOST, 2 inch, Bolted-in	7.00-16	5.5x16	25
44	G53-LD-01	45 feet, 03 axles	15890x3300x1600 mm	Huajing	FUWA, 3.5 inch, Bolted-in	285/70R19.5	8.25x19.5	25
45	H53-LB-01	45 feet, 03 axles	14920x2500x1640 mm	Huajing	FUWA, 3.5 inch, Bolted-in	8.25-16	6.5-16	26
46	H53-LE-01-1	45 feet, 03 axles	15900x3300x1670 mm	Fuwa	FUWA, 3.5 inch, Bolted-in	11.00R20	8.00V-20	26
47	J53-LC-01	45 feet, 3 axles (hydraulic lifting ramps)	14380x2500x2680 mm	Huajing	JOST, 2 inch, Bolted-in	8.25-16	6.5-16	27
48	K53-LB-01	45 feet, 3 axles (hydraulic lifting ramps)	16340x3300x2930 mm	Huajing	FUWA, 3.5 inch, Bolted-in	285/70R19.5	8.25Vx19.5	27
49	K53-LA-01	45 feet, 03 axles	16910x3300x1670 mm	Fuwa	FUWA, 3.5 inch, Bolted-in	12.00-20	8.5Vx20	28
50	L42-LA-01	40 feet, 02 axles	12270x2900x2850 mm	Huajing	JOST, 2 inch, Bolted-in	285/70R19.5	8.25Vx19.5	28
51	L43-LA-01	40 feet, 03 axles	12365x2500x1580 mm	Huajing	JOST, 2 inch, Bolted-in	235/75R17.5	6.75-17.5	29
52	L503-LB-01	50 feet, 03 axles	16300x3400x1660 mm	Fuwa	FUWA, 3.5 inch, Bolted-in	11.00R20	8.00-20	29
53	L42-LA-02	40 feet, 02 axles	12450x2850x1590 mm	Huajing	JOST, 2 inch, Bolted-in	285/70R19.5	8.25Vx19.5	30
54	H53-LE-02	45 feet, 03 axles	15060x3300x3040 mm	Fuwa	FUWA, 3.5 inch, Bolted-in	11.00R20	8.0Vx20	30
55	L53-LE-02	45 feet, 03 axles	16990x3300x1620 mm	Fuwa	FUWA, 3.5 inch, Bolted-in	11.00R20	8.00-20	31
56	M503-LB-01	50 feet, 03 axles	15500x3620x1600 mm	Huajing	FUWA, 3.5 inch, Bolted-in	285/70R19.5	8.25x19.5	31
57	H53-LE-01-1	45 feet, 3 axles	15900x3300x1670 mm	Fuwa	FUWA, 3.5 inch, Bolted-in	11.00R20	8.00V-20	32

LIQUID TANK SEMI TRAILER								
58	G43-BX40-02	6 liquid space, 40m3, 40 feet, 3 axles	11050x2500x3980 mm	Huajing	JOST, 2 inch, Bolted-In	11.00-20	8.00-V20	25
59	J43-BX40-04	6 liquid space, 40m3, 40 feet, 3 axles	11090x2500x3990 mm	Huajing	JOST, 2 inch, Bolted-In	11.00-20	8.00-20	25
60	L43-BX-02	6 liquid space, 40m3, 40 feet, 3 axles	11320x2500x3820 mm	Fuwa	JOST, 2 inch, Bolted-In	11.00-20	8.00-V20	26
61	L42-BX-01	6 liquid space, 31.3m3	9890x2500x3790 mm	Fuwa	JOST, 2 inch, Bolted-In	11.00-20	8.00-20	26
62	H43-BM-01	30.12 m3, 40 feet, 03 axles	11930x2480x3990 mm	Fuwa	JOST, 2 inch, Bolted-In	11.00-20	8.00-V20	27
63	K43-BE-01	29 m3, 40 feet, 03 axles	11300x2500x3400 mm	Huajing/ABS	JOST, 2 inch, Bolted-In	11.00-20	8.00-20	27
64	G43-BN-01-1	28.2 m3, 40 feet, 03 axles	11580x2500x3790 mm	Huajing	JOST, 2 inch, Bolted-In	11.00-20	8.00-V20	28
65	L43-BAM-01	43 m3, 40 feet, 03 axles	11605x2500x3880 mm	Fuwa	JOST, 2 inch, Bolted-In	11.00-20	8.00-20	28
66	L43-BAM-02	42.25 m3, 40 feet, 03 axles	12145x2500x3770 mm	YONGLITAI	JOST, 2 inch, Bolted-In	11.00-20	8.00-V20	29
67	J43-BL-02	49.7 m3, 40 feet, 03 axles	12225x2500x3990 mm	Fuwa	JOST, 2 inch, Bolted-In	11.00-20	8.00-20	29
68	N43-BH-01	35 m3, 40 feet, 03 shafts, 07 tweezers hanging truss	12390x2500x3983 mm	Fuwa	JOST, 2 inch, Bolted-In	11R22.5	8.25-22.5	29
DUMP SEMI TRAILER								
69	J43-TP-01	40 feet, 3 axles, 1 front air suspension, 24m3	9300x2500x3380 mm	Fuwa	JOST, 2 inch, Bolted-In	11R22.5	8.25-22.5	30
	J43-TP-01-1	40 feet, 3 axles, 1 front air suspension, 24m3	9300x2500x3395 mm	Fuwa	JOST, 2 inch, Bolted-In	11.00-20	8.00-20	30
70	J43-TP-02	40 feet, 3 axles, 1 front air suspension, 24m3	9300x2500x3420 mm	Fuwa	JOST, 2 inch, Bolted-In	11R22.5	8.25-22.5	31
	J43-TP-02-1	40 feet, 3 axles, 1 front air suspension, 24m3	9300x2500x3435 mm	Fuwa	JOST, 2 inch, Bolted-In	11.00-20	8.00-20	31
SIDEWALL TRAILER (WITH TARPULIN)								
71	F33-BC-01-1	30 feet, 03 axles	10940x2500x3650 mm	Fuwa	JOST, 2 inch, Bolted-In	11.00-20	8.00-V20	32
72	K43-BB-02	40 feet, 03 axles	12400x2500x3645 mm	Fuwa	JOST, 2 inch, Bolted-In	11R22.5	8.25-22.5	32

THANK YOU FOR CHOOSING
VIETNAMESE PRODUCTS

