

TAN THANH CONTAINER ALWAYS LEADING HIGH QUALITY

HOTLINE: 0968 039 939

HO CHI MINH CITY Head Office

- Linh Trung Ward, Thu Duc dist., HCM City
- (84 28) 3722 2545 Fax: (84 28) 3722 2535
- 0906 833 068
- ★ kct@tanthanhcontainer.com

DA NANG Depot

- Ward, Hai Chau Dist., Da Nang city
- (84 236) 3632 688 Fax: (84 236) 3632 988
- 0905 565 855
- danang@tanthanhcontainer.com

VUNG TAU Depot

- Tan Thanh dist., Ba Ria - Vung Tau Province
- (84 254) 3890 379 Fax: (84 254) 3890 378

HA NOI Depot

- Yen Vien Nam station, Ha Huy Tap street, Yen Vien town, Gia Lam district, Hanoi city
- 0936 697 039
- ★ hanoi@tanthanhcontainer.com

CAN THO Depot

- Cai Rang dist., Can Tho City
- **(84 292) 3512 305**
- 0932 616 187
- □ cantho@tanthanhcontainer.com

HAI PHONG Depot

- Dong Hai 2 Ward, Hai An Dist, Hai Phong City
- **(84 225) 8832 139**
- 0906 196 039
- ► Maiphong@tanthanhcontainer.com



CONTAINER 2021 CATALOGUE







info@tanthanhcontainer.com

CONTENT


- 03. FOREWORDS
- 05. DRY CONTAINER
- 06 SPECIFICATIONS OF DRY CONTAINER
- 08. CONTAINER SERVICES
- 10. MODIFIED CONTAINER
- 12. 10' OFFICE CONTAINER
- 13 SPECIFICATIONS OF 10' OFFICE CONTAINER
- 14. 20' OFFICE CONTAINER WITHOUT TOILET, WITH AIR CONDITIONER
- 15. 20' OFFICE CONTAINER WITH TOILET.WITH AIR CONDITIONER
- 16 SPECIFICATION OF 20' OFFICE CONTAINER
- 18. 40' OFFICE CONTAINER WITHOUT TOILET, WITH AIR CONDITIONER
- 19. 40' OFFICE CONTAINER WITH TOILET, WITH AIR CONDITIONER
- 20. SPECIFICATIONS OF 40' OFFICE CONTAINER
- 22. SANITARY CONTAINER
- 25. SPECIFICATIONS OF SANITARY CONTAINER
- 26. TYPICAL PROJECTS
- 34. SUPLIERS & PARTNERS



We would like to thank all clients and partners who have stood by us during good and bad times. Our company pledges its loyalty in return, sharing customer's difficulties and success, leading to long-term growth.

Tan Thanh Trading Mechanic Corporation has received the encouragement, support and interest from customers and partners for over 20 years. In order to satisfy these great expectations, the entire team at Tan Thanh has been continuously improving technology, machinery and management skill, perfecting product quality, offering competitive prices complemented by enthusiastic, professionally trained personnel.





DRY CONTAINER



BACKGROUND

Beginning from a small mechanic workshop established in 1994, Tan Thanh has become a leading container and semi trailer manufacturer in Vietnam. The key role is to bring customer the best quality container products together with post selling services, pay contribute to the logistics supply chain.

KEY NUMBERS

2021 Dry Container trading turnover: Over 3.200 units included:

- 45% to construction, engineering, mining companies
- 40% to trucking, freight forwarding and logistics companies.
- 15% to garment processing companies as well as super market operator for storing purposes

Main suppliers: All containers are from shipping lines and Container trading company in accordance with terms of legality and origin.



DIMENSIONS 10 FEET 20 FEET 40 FEET mm 2 991 2 828 6 058 5 867 Length

External Internal External Internal External Internal 12 192 11 998 Width 2 438 2 350 2 438 2 330 2 438 2 330 2 381 2 350 Height mm 2 591 2 591 2 591 2 350

DOOR OPENING 10 FEET 20 FEET 40 FEET Width mm 2 336 2 336 2 336 Height 2 291 2 291 2 280 mm

RATINGS 10 FEET **20 FEET** 40 FEET Cubic m^3 16.3 33 67 10 160 24 000 kg 30 480 Gross weight

DIMENSIONS 40 FEET HC 45 FEET

		External	Internal	External	Internal
Length	mm	12 192	11 998	13 716	13 556
Width	mm	2 438	2 330	2 438	2 350
Height	mm	2 896	2 655	2 896	2 698

DOOR OPENING		40 FEET HC	45 FEET	
Width	mm	2 340	2 340	
Height	mm	2 585	2 585	

RATINGS		40 FEET HC	45 FEET
Cubic	m³	75.6	86
Gross weight	kg	30 480	35 350

CONTAINER SERVICES

Container shipping/ Lifting Service Container Repair And Maintenance Service Container Renovation Service Container Design Service

CRITERIA FOR A HIGH-QUALITY DRY CONTAINER

- 1. WWST (wind, water, sunlight tight): waterproof, wind-proof, light-proof.
- 2. The structure achieves IICL5 standard and doesn't distort much due to the strong impact; the door can close/open easily; floor, roof, wall, and girder are secured.
- 3. Has a valid CSC plate or is eligible to extend/qualify for CW (Cargo Worthy) shipping.
- 4. Refrigeration systems have full components and run stably at -180 degrees Celsius without any leak, stagnant water, and pass the PTI (pre-trip-inspection) examination.











MODIFIED CONTAINER



- With 25 years of experience in the industry, Tan Thanh is the leading supplier and providing container for rent in Vietnam with the following advantages.

Tan Thanh's dry containers and office containers have been qualified and confirmed in the market for many years, are manufactured by advanced technology lines according to international standards and undergo rigorous testing before shipping.

With a diverse source of containers, Tan Thanh provides most of the different types of containers for rent or for purchase depending on the specific requirements of customers, flexible rental periods (long or short). We also lease container by voyage at competi-

In Vietnam, many agents supply the service to design, construct, renovate, and upgrade used containers. Choosing a prestigious agent with high quality and great after-sales services is save-costing a lot.

Being a prestigious business enterprise in both Vietnam and the International market, Tan Thanh Container always pioneers in the quality of design, manufacture, container supplication and rentals service. Tan Thanh Container guarantees the quality of all rental products to satisfy all quality criteria above in WWST, IICL 5, and CW when we transfer them to customers. With a stable, legal, and abundant source of the containers. Tan Thanh Container can satisfy any demands in small/large container rental in long or short terms of customers at a competitive price.

You will be satisfied with the products' quality and after-sales services of Tan Thanh Container. Contact now to receive free consultations.




SPECIFICATIONS









10' OFFICE CONTAINER WITHOUT TOILET, WITH AIR CONDITIONER

_	_					_	_	_	
\boldsymbol{c}	\cap	NIT	ΓΑΙ	IN	Е	D	R	റ	У
C	U	IV		ΗN	_	1	ים	U.	/

Made of steel, second-hand, quality 80%, comply with International Standard available for office and suitable to environment.

WALL & CEILING

- Made by steel frame (V 3x5cm),
- Insulation for ceiling with FOAM pulyurethan (New 100%, 3cm thick),
- Insulation for walls with FOAM pulyurethan (New 100%, 1.5cm thick),
- And covered with painted SHERA plywood outside 3.5 mm thick.

FLOOR

Original wood 3 cm thick, finish simili.

DOOR

01 steel panel door (0,8 x 1,9m) with white glass pasted decal upper with

WINDOW

ELECTRIC SYSTEM

02 Taiwan aluminum sliding windows (0,9 x 1,10m), steel protection bar & roof outside.

- All Cadivi electric lines hidden under wall,

- 01 double power points,

- 01 switch for telephone brand Clipsal,

- 01 CB of air. conditioner 16A,
- 01 switch of lights and point 16A,
- 01 source 32A 1 phase outside.

PAINTING

03 layers of painting outside used against sea environment, especially bottom paiting that against corrosion.


- 01 air - conditioner with two boxes (1,5 HP)- brand-new 100%

brand Reetech,


- 01 exhaust fan, **EQUIPMENT**

- 01 lights fluorescence double (1,2m),
- 01 clothes hook,
- 01 clock.











20' OFFIC	E CONTAINER WITH AIR CONDITIONER	WITHOUT TOILET	WITH TOILET
CONTAINER BOX	Made of steel, second-hand, quality 80%, comply with International Standard available for office and suitable to environment.	√	\checkmark
WALL & CEILING	 Made by steel frame (V 3x5cm), Insulation for ceiling with FOAM - pulyurethan (New 100%, 3cm thick), Insulation for walls with FOAM - pulyurethan (New 100%, 1.5cm thick), And covered with painted SHERA plywood outside 3.5 mm thick. 	✓	✓
FLOOR	Original wood 3 cm thick, finish simili.	\checkmark	\checkmark
DOOR	01 steel panel door (0,8 \times 1,9m) with white glass pasted decal upper with lock	√	\checkmark
WINDOW	02 Taiwan aluminum sliding windows (0,9 x 1,10m), steel protection bar $\&$ roof outside	\checkmark	\checkmark
ELECTRIC SYSTEM	 All Cadivi electric lines hidden under wall, 02 double power points, 02 switch for telephone brand Clipsal, 01 CB of air. conditioner 16A, 02 switch of lights and point 16A, 01 source 32A 1 phase outside. 	√	✓
PAINTING	03 layers of painting outside used against sea environment, especially bottom paiting that against corrosion.	\checkmark	\checkmark
EQUIPMENT	 - 01 air - conditioner with two boxes (1,5 HP) brand-new 100% brand Reetech, - 01 exhaust fan, - 02 lights fluorescence double (1,2m), - 01 clothes hook, - 01 clock. 	✓	✓
TOILET	 Dimension: (1.2 m x 2.42m): Floor spread ceramic tile. 01 wooden partition, 01 aluminum door, 01 single light (0.6m), 01 exhausted fan, 01 shutter, 01 drain cock, 01 set lavabo + toilet bowl, 01 mirror, 01 hanging towel, 01 paper case, 01 plastic garbage can, 01 shower, 01 water tank 500 litre. Supply & drainage system with PVC plastic pipes, 	*	√















40' OFFIC	E CONTAINER WITH AIR CONDITIONER	WITHOUT TOILET	WITH TOILET
CONTAINER BOX	Made of steel, second-hand, quality 80%, comply with International Standard available for office and suitable to environment.	✓	√
WALL & CEILING	 Made by steel frame (V 3x5cm), Insulation for ceiling with FOAM - pulyurethan (New 100%, 3cm thick), Insulation for walls with FOAM - pulyurethan (New 100%, 1.5cm thick), And covered with painted SHERA plywood outside 3.5 mm thick. 	√	√
FLOOR	Original wood 3 cm thick, finish simili.	\checkmark	\checkmark
DOOR	02 steel panel door (0,8 \times 1,9m) with white glass pasted decal upper with lock.	\checkmark	\checkmark
WINDOW	04 Taiwan aluminum sliding windows (0,9 x 1,10m), steel protection bar & roof outside.	✓	\checkmark
ELECTRIC SYSTEM	 All Cadivi electric lines hidden under wall, 04 double power points, 04 switch for telephone brand Clipsal, 02 CB of air. conditioner 16A, 04 switch of lights and point 16A, 01 source 32A 1 phase outside. 	√	√
PAINTING	03 layers of painting outside used against sea environment, especially bottom paiting that against corrosion.	√	\checkmark
EQUIPMENT	 - 02 air - conditioner with two boxes (1,5 HP) brand-new 100% brand Reetech, - 02 exhaust fan, - 04 lights fluorescence double (1,2m), - 02 clothes hook, - 01 clock. 	√	√
TOILET	 Dimension: (1.2 m x 2.42m): Floor spread ceramic tile 01 wooden partition, 01 aluminum door, 01 single light (0.6m), 01 exhausted fan, 01 shutter, 01 drain cock, 01 set lavabo + toilet bowl, 01 mirror, 01 hanging towel, 01 paper case, 01 plastic garbage can, 01 shower, 01 water tank 500 litre. Supply & drainage system with PVC plastic pipes, 	*	√





20' SANITARY CONTAINER
















SPECIFICATIONS







	10'	20'	40'	
CONTAINER BOX	Made of steel, second-hand, quality 80%, comply with International Standard available for office and suitable to environment.	√	√	√
WALL & CEILING	 - Made by steel frame (V 3x5cm), - Insulation for ceiling with FOAM - pulyurethan (New 100%, 3cm thick), - Insulation for walls with FOAM - pulyurethan (New 100%, 1.5cm thick), - And covered with painted SHERA plywood outside 3.5 mm thick. 	√	√	√
FLOOR	Original wood 3 cm thick, finish ceramic tiles.	\checkmark	\checkmark	\checkmark
DOOR	Steel panel door (0,8 x 1,9m) with white glass pasted decal upper with lock	02	04	02
PAINTING	03 layers of painting outside used against sea environment, especially bottom paiting that against corrosion.	√	√	√
	- 01 lavabo	×	×	\checkmark
	Container divided into small rooms with 1 water tank 500 litre, each room including:	02	04	08
TOILET	 Floor spread ceramic tile. 01 wooden partition, 01 aluminum door, 01 single light (0.6m), 01 exhausted fan, 01 shutter, 01 drain cock, 01 set lavabo + toilet bowl, 01 mirror, 01 hanging towel, 01 paper case, 01 plastic garbage can, 01 shower, 01 water tank 500 litre. Supply & drainage system with PVC plastic pipes, 	√	√	√





































































